
JEWELBLU OPTICAL SYSTEMS

Gigabit Optical Module Single Mode Single Fiber



Overview

SFP transceiver that supports 1G connections up to 3 km using single-mode fiber with a simplex LC UPC connector. Power Consumption CLASS 1 LASER PRODUCT, IEC/EN 60825-1:2014 Do not look into the ends of the fiber optic cable or SFP module while. Gigabit single-mode fiber optic module Common parameters of optical modules 1. Center wavelength 1) 850nm (MM, multi-mode, low cost, but short transmission distance, usually only 500M); 2) 1310nm (SM, single mode, large loss during transmission, small dispersion, generally used for transmission. The industry-standard Cisco Small Form-Factor Pluggable (SFP) Gigabit Interface Converter (Figure 1) links your switches and routers to the network. The hot-swappable input/output device plugs into a Gigabit Ethernet port or slot. Optical and copper models can be used on a wide variety of Cisco. Juniper Networks® has platforms ranging from the Juniper Networks CTP Series Circuit to Packet Platforms, BX Series Multi-Access Gateways, E Series Broadband Services Routers, M Series Multiservice Edge Routers, MX Series 3D Universal Edge Routers, to the T Series Core Routers.



© 2026 JEWELBLU OPTICAL SYSTEMS - All rights reserved

Article Content

Gigabit single-mode single-core fiber optic module

Optical signals are transmitted directly without repeater amplification. Gigabit single-mode single-core optical fiber modules usually have the following specifications: multi-mode 550m, single

Cisco SFP Modules for Gigabit Ethernet Applications

This data sheet describes the benefits, specifications, and ordering information for the Cisco SFP Modules for Gigabit Ethernet Applications.

Optic Modules Datasheet

Optic Modules Data Sheet ... SFP (form factor) = small form-factor pluggable transceiver SMF (media) = single-mode fiber-optic MMF (media) = multimode fiber-optic XFP (form factor) = 10-gigabit small

Dahua GSFP-1310R-20-SMF Gigabit Optical Module, 1-Fibre,

Developed to operate in extreme conditions, the device functions in temperatures ranging from -40 °C to +85 °C, easily adapting to harsh environments. Plug and Play. No configuration is required. Suitable

1G Bidirectional Single-Mode Optical Module

SFP transceiver that supports 1G connections up to 3 km using single-mode fiber with a simplex LC UPC connector.

1 Gigabit Singlemode SFP Fiber Optic Transceivers

Our 1 Gigabit Singlemode SFP Transceivers offer high-performance, reliable connectivity for singlemode fiber optic networks. These transceivers are

SFP: 1000BASE-LX Gigabit Ethernet Single-mode Fiber

Contact us for estimated delivery. All product-related documents, such as certificates, declarations of conformity, etc., which were issued prior to the conversion under the name Pepperl+Fuchs GmbH or

Gigabit Fiber SFP Optical Transceiver Module

The transceiver is available as a mini-GBIC form factor, making it ideal for environments that require many fiber connections by taking up less space in your

Gigabit SFP Module: A Complete Guide to 1G SFP Transceivers

Learn what a gigabit SFP module is, how it works, main types, key specifications, and common use cases to choose the right 1G SFP for your network.

© 2026 JEWELBLU OPTICAL SYSTEMS - All rights reserved

Ortronics Extreme QSFP28 Module

Ortronics Extreme QSFP28 Module - For Optical Network, Data Networking - 1 x LC Duplex 100GBase-ZR4 Network - Optical Fiber - Single-mode - 100 Gigabit Ethernet - 100GBase-ZR4 - 100 Gbit/s - 80

Multi-mode optical fiber

The equipment used for communications over multi-mode optical fiber is less expensive than that for single-mode optical fiber. Because of its high capacity

Amazon : Media Converter

Fiber optic media converters provide the bridge you need to extend your network. Explore solutions for single-mode, multi-mode, and PoE applications.

Single-mode optical fiber

In fiber optics, a quadruply clad fiber is a single-mode optical fiber that has four claddings. Each cladding has a refractive index lower than that of the core.

BTON 1.25G SFP Module Single Mode Bi-directional Transmission

This module is designed for Single-Mode single fiber, operates at the normal wavelength of 1310/1490nm. Standard AC coupled CML for high speed signal and LVTTL control and monitor signals.

Omnitron 7015-0 network transceiver module 1000 Mbit/s SFP Gigabit ...

They support multimode dual fiber, single-mode dual fiber, single-mode single-fiber, Coarse Wave Division Multiplexing (see the CWDM Optical Transceiver Data Sheet) and Unshielded Twisted Pair

Models, specifications, and compatibility

Models, specifications, and compatibility Gigabit SFP optical transceiver modules use LC connectors. The specifications for Revision D transceiver products are the same as the specified Revision A, B,

Accortec 10GBASE-DWDM 1534.25nm (ITU Channel 54) SFP+ Optics Module ...

Accortec 10GBASE-DWDM 1534.25nm (ITU Channel 54) SFP+ Optics Module - For Data Networking, Optical Network - 1 LC 10GBase-DWDM Network - Optical Fiber - Single-mode - 10 Gigabit Ethernet

Gigabit Ethernet

Other, non-standard higher-powered single-strand optics commonly known as "BiDi" (bi-directional) utilize wavelength pairs in the 1490/1550 nm range, and are

© 2026 JEWELBLU OPTICAL SYSTEMS - All rights reserved

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://jewelbluimages.co.za
Technical inquiry: https://jewelbluimages.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 JEWELBLU OPTICAL SYSTEMS - All rights reserved